"One month after date, I intend to move the High Court of Mysore, Bangalore, to enrol me as an advocate."

M. K. SRINIVASA IYENGAR, B.SC., LL.B.

NOTICE OF CHANGE OF NAME.

I, the undersigned, who bore the name of M. Bhama (Daughter of Ranga Rao, Madgalore Village, S. Canara District) during my education and U.G.T. Training Class, have changed my name from M. Bhama to BHAMABAI from the date of my entry into Government Service.

BHAMABAI, *Mistress, Maharani's Middle School, Mysore.*

I, S. C. Pushpam, B.A. change my name to Mrs. S. H. R. Jetty, B.A., as I have married Mr. H. R. Jetty.

MRS. S. C. PUSHPAM.

Bangalore, dated 19th August 1939. *Assistant Mistress, Vani Vilas Institute, Bangalore.*

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE, BANGALORE.

Memo No. D2 Dis 177-39-40, dated 25—27th July 1939.

Moolemane Suryanarayana Bhatta Bhave, Revenue Inspector, Jade Hobli, Sorab Taluk, is permitted to change his name from "Moolemane Suryanarayana Bhatta Bhave" to "M. S. Bhave."

S. ABDUL WAHID,
Revenue Commissioner.

THE BANGALORE WOOLLEN, COTTON AND SILK MILLS CO., LTD.

NOTICE TO SHAREHOLDERS.

Dated 26th August 1939.

Notice is hereby given that a Dividend at the rate of 4 per cent per annum, free of tax, has been declared on Ordinary Shares for the half-year ending 30th June 1939, and is now payable at the Registered Office of the Company, Agraram Road, Bangalore City.

BINNY & CO. (MADRAS) LTD.,
Agents, Secretaries & Treasurers.

GOVERNMENT OF MYSORE STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 5236-90, dated 26th August 1939.

To

The Firms dealing in Leather Goods.

Enquiry No. 3625.

MORACO LEATHER POCKET CASES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Leather Cases" with the above enquiry Number.

This enquiry will be closed on the 4th September 1939.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Moraco Empty Leather pocket cases ..	24	Bangalore.	

Counter samples should be furnished with your quotation.

N.B —Sample can be seen in the office during office hours.

No. S. P. C. 5276-85, dated 26th August 1939.

To

The Firms dealing in Salter's Spring Balance.

Enquiry No. 3626.

SALTER'S SPRING BALANCE.

DEAR SIR GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Spring Balance " with the above enquiry Number.

This enquiry will be closed on the 2nd September 1939.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Salter's Spring Balance weighing 400 lbs. ..	One.	Kolar.	

No. S. P. C. 5229-35, dated 25th August 1939.

To

The Firms dealing in Motor Lorries.

Enquiry No. 3628.

2½ TON LORRY CHASSIS REQUIRED FOR THE MYSORE MECHANICAL TRANSPORT CORPS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for 2½ ton Lorry Chassis required for the Mysore Mechanical Transport Corps" with the above enquiry Number.

This enquiry will be closed on the 4th September 1939.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	2½ *ton Lorry Chassis* – .. .. Wheelbase, 143 inches, maximum allowable gross weight, 12,600 lbs. The chassis should be able to stand the strain of hard trucking work. It should be powered by the 27 H.P. six-cylinder engine which is to be mounted forward of the front axle, thus giving room for really capacious bodies with a minimum overhang at the rear. It should have a full-floating rear axle with single rear wheels as standard equipment. The chassis frame should be full 7½ inches deep and braced by six robust cross members. Heavy duty four forward speed gearbox, progressive rear springs, side petrol tank, accessibly mounted battery should be provided. The footbrake is to be assisted by a Dewandre Vacuum Servo. It should also be provided with 5 pierced disc wheels with (2) 20×6·00—6 ply tyres, and (2) 32×6—10 ply rear tyres. The chassis should be painted with khaki.	One.	Bangalore.	

No. S. P. C. 5371-85, *dated 25th August* 1939.

To

The Firms dealing in Second-hand Steel Rails.

Enquiry No. 3629.

SECOND-HAND STEEL RAILS, 50 LBS. SECTION, 30 FT. LONG.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Second-hand Steel Rails, 50 lbs. section", with the above enquiry Number.

This enquiry will be closed on the 14th September 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Rails, second-hand, 50 lbs., per yard, 30 ft. long, dead straight, free from rust and other imperfections	1182 Nos.	*Bangalore.*	

No. S. P. C. 5361-70, dated 28th August 1939.

To

The Firms dealing in Stainless Steel Sheets and Buckets.

Enquiry No. 3631.

STAINLESS STEEL SHEETS AND BUCKETS REQUIRED FOR THE SRI KRISHNARAJENDRA SILVER JUBILEE TECHNOLOGICAL INSTITUTE, BANGALORE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Stainless Steel Sheets and Buckets", with the above enquiry Number.

This enquiry will be closed on the 9th September 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Solid Stainless Steel Buckets with handle and spout, of one gallon capacity	Two		
2	Stainless Steel Sheets of 1/16" thickness for covering up Dyeing Laboratory tables—size— 18'-3" × 3'-9"	2 Tables		
3	Do 5'-3" × 2'-6"	1 Table		
4	Do 9'-3" × 3'-3"	1 „		

No. S. P. C. 5311-25, dated 28th August 1939.

To

The Firms dealing in Surveying Instruments.

Enquiry No. 3632.

INSTRUMENTS REQUIRED FOR THE CIVIL ENGINEERING SECTION OF THE COLLEGE OF ENGINEERING, BANGALORE.

GENTLEMEN,

Please be good enough to intimate your best prices *F. O. R., Bangalore* and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Surveying Instruments for the College of Engineering", with the above enquiry Number.

This enquiry will be closed on the 15th September 1939.

Schedule.

Item No.	*Description of materials.*	*Quantity.*
1.	*Detachable Compass.*—To suit Stanley's Level	Three.
2.	*Telescopic Allidade with Plane Table outfit.*—Allidade Telescope—Clear aperture of object glass 1·9/16"—Length of Telescope 6.$\frac{7}{8}$" (Constant) With sunshade 7.$\frac{3}{8}$" Stadia Lines 1 : 100 Addition Constant. ·0 Telescopic reversible either way. Parallel ruler with removable lengthening piece 17". Height from underside of ruler to rotation-axis of telescope 4·$\frac{3}{4}$". Reading Microscope in vertical position, highest point above surface of table 6$\frac{1}{2}$". Vertical circle enclosed watertight 360°, 400 g. Diameter 2" Reading direct to 10' : 10'. Estimation to 1' : 1'. *Tribrach.*—Three protected foot-screws adjustable for wear strong clamp and slow motion by endless screw, 3 screws for attachment of board. *Tripod.*—Light, firm, with adjustable legs. *Packing.*—One sail-cloth covered wooden case, with carrying straps for transporting the allidade and tribrach. The box contains 1 compass, 1 level, 1 slide rule, 1 offset-scale, 1 table of tangents, 1 lens, 1 pencil-file, 1 pair of dividers, 1 plumb bob and line, 2 adjusting pins, and a small oil bottle. *Other items of outfit.*—One Teak plane-table board of the usual size, 1 folding staff.	One
3.	*Optical Squares.*—Round pattern in case	Three.
4.	*Optical Squares.*—For showing right angle Bronze body, Government pattern, two side mirror fixed, polished handle in a wooden box—Best English quality	Three.
5.	Prism squares	Three.
6.	*Prismatic Compass.*—With engine divided aluminium dial ring, 3" dia. divided to 30 mins. mounted on selected jewel and figured every 10° complete with shades and mirror in leather sling case with light tripod having ball and socket head	Six.
7.	*Steel Ranging Rods.*—Six feet height	12 Nos.
8.	*Prism Binocular.*—Magnification 10,50 with leather case complete ..	One.
9.	*Faija's Apparatus.*—MC 901 improved form for determining the soundness of cement, made of copper, fitted with gas burner and thermometer complete	One.
10.	*Standard Sieving Machine.*—T. 131 to accommodate 8" standard sieves, cover and receptacle. Automatic cutout after a fixed number of revolutions. The machine has a uniform sieving and tapping action and stops automatically after a pre-determined number of revolutions ensuring identical action for all samples. Twenty-five cycles, two brass sieves receptacle and cover with 3 phase, 220 volts Motor A.C. current	One.

No. S. P. C. 5450-85, dated 24th August 1939.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3638.

PUMPING SETS FOR BAIRAMANGALA RESERVOIR WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pumping sets for Bairamangala Reservoir Works," with the above enquiry number.

This enquiry will be closed on the 15th September 1939.

SCHEDULE.

Item No.	Description of material	Quantity	Price quoted F. O. R. Bangalore
	Electric motor driven Pumping Set capable of pumping 150 gallons of water per minute against a total head of 200'. .. The pump should have suction and delivery branches of 3" in diameter. The pump should be of horizontal type, mounted on a common bed plate with a flexible coupling to an induction Drip proof motor of 20 H.P. suitable for working on a power supply of 3 phase, 220 volts, 25 cycles. An Auto Transformer starter with ammeter and voltmeter should also be provided. The pump should be complete with the following spares. (*a*) One suitable foot valve with strainer. (*b*) One pressure gauge 6" diameter complete with syphon cock reading from 0 to 100 feet head of water. (*c*) One suction gauge showing feet head of water from 0 to 30 feet. (*d*) One priming turn dish with cock. (*e*) One full way opening gate valve for delivery. (*f*) One flat door type reflux valve to suit the delivery pipe.	One Set	
2	*Electric motor driven pumping sets capable of pumping 10 000 gallons of water per hour against a total head of 70 feet.* .. The pump should have suction and delivery branches of 4" in diameter. The pumps should be horizontal type mounted on a common bed-plate with a flexible coupling to an induction Drip-proof motor of 10 H.P. suitable for working on a power supply of 3 phase, 220 volts and 25 cycles. Suitable starters with ammeters and voltmeters to drive the above motors should also be provided. The pumps should be complete with the following accessories —Two sets—each set consisting of:— (*a*) One suitable foot valve with strainer. (*b*) One pressure gauge 6" diameter complete with syphon cock reading from 0 to 100 feet head of water. (*c*) One suction gauge showing feet head of water from 0 to 30 feet. (*d*) One priming turn dish with cock. (*e*) One full way opening gate valve for delivery. (*f*) One flat door type reflux valve to suit the delivery pipe.	Two sets.	

The names of the manufacturers should be mentioned.

Quotations for delivery of the pumping sets from stock will be preferred.

Please note that the pumps are required to pump muddy water.

No. S. P. C. 5761-63, dated 24th August 1939.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3639.

PUMPING SET FOR KRISHNARAJENDRA HOSPITAL, MYSORE.

GENTLEMEN,

Please be good enough to intimate your best price *f.o.r. Mysore* and the earliest time of delivery for the material described below :—

Automatic Water Pump equipped with 42 gallons galvanised tank, pressure gauge, air control electric switch relief valve, nut off connecting pipes, capacity being 800 gallons of water per head of 100 feet with Electric Motor	One set.

N.B.—The name of the manufacturers may be specified.

The quotations for materials immediately from stock will be preferred.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellations of the order and purchase being made at your expense from other source in addition to the levy of a penalty of 5% cost of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pumping Set for Krishnarajendra Hospital, Mysore" with the above enquiry number.

This enquiry will be closed on the 14th September 1939.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 5764-84, dated 26th August 1939.

NOTICE.

Enquiry No. 3644.

BURMAH TEAK.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, Government of Mysore, Bangalore, up to *2nd October 1939* for Burmah Teak of the description given below :—

Best Indian Selected Burmah Teak L.M. or L.R. Crown brand in squares of not less than 15", free from all cracks and shakes, etc.

400 c.ft.	between 24 and 26 ft. in length.
200 c.ft.	in 35 ft. lengths.
150 c.ft.	in 16 ft. lengths.
750 c.ft.	

The prices to be quoted should be for delivery *f.o.r., Mysore South, based on Railway Material Certificate rates.*

The material will be subject to Inspection and test before acceptance.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

STATEMENT OF ORDERS PLACED BY THE STORES PURCHASE COMMITTEE, GOVERNMENT OF MYSORE, BANGALORE, BOTH IN INDIA AND FOREIGN COUNTRIES DURING THE WEEK ENDING SATURDAY THE 22ND JULY 1939.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local. 5016	Platform weighing machine—Avery No. 284-C latest type, portable—capacity 10 cwts. fitted with chromium plated steel yard.	One	Messrs.— W. & T. Avery, Ltd., Madras ..	Rs. a. p. 610 0 0 f.o.r., Port of entry.
3315				
5017	Manganese Oxide, black packed in 1 cwt. drums.	5 cwts.	Chemdyes Ltd., Madras ..	35 5 0 per cwt., f.o.r.,
3556				Bangalore City.
	Porcelain green packed in 1 cwt. drums.	5 cwts.	Do ..	94 15 0 do
5018	G. I. plain sheets 6′×3′×1/16″ thick.	100 sheets	A. Ahmedally & Co., Madras ..	13 8 0 per cwt., f.o.r.,
	G. I. plain sheets Do ..	250 sheets	S. Akbarali Haidarali & Co., Madras.	Bangalore City. 13 8 3 do
5019	Sluice valve—24″ dia. "Glenfield" cast steel, with spur gear, 4″ semi-steel bypass valve and bends and two semisteel-socket tail-pieces.	One	Glenfield & Kennedy, Ltd., Bombay.	2,639 5 0 net, f.o.r., Bangalore.
3256				
	Expansion Joint—24″ dia. "Glenfield" cast steel, with two semi-steel socket tail-pieces to suit 24″ steel pipes, the joint being suitable for a working head of 960 ft.	One	Do do ..	1,942 9 0 do
	Expansion Joint—24″ dia. "Glenfield" semi-steel with two steel socket tail pieces to suit 24″ cast iron pieces, suitable for a working head of 600 ft.	One	Do do ..	1,128 15 0 do
	Reflux valve—24″ dia. "Glenfield" cast steel, multiple door type with 4″ semi-steel bypass valve and bends and two semi-steel socket tail-pieces to suit 24″ steel pipes for a working pressure of 960 ft.	One	Do do ..	5,388 0 0 do
	Reflux valve—24″ dia. "Glenfield" multiple door type, with 4″ semi-steel bypass valve and bends and two semi-steel socket tail-pieces to suit 24″ cast iron pipes for a working head of 450 ft.	One	Do do ..	3,451 10 0 do
	Sluice valve—double flanged 6″ dia. "Glenfield" cast steel, for scour, having parallel faced door fitted with two hard phosphor bronze faces screwed into position, etc., for a working head of 960 ft.	One	Do do ..	455 0 0 do
5020	Lamp—Operay portable surg-o-ray emergency model, suitable for 230 volts, 60 cycles.	One	Maigham Bros., Bombay ..	1,150 0 0 f.o.r., Mysore
5021	G. I. Tanks—4′×4′×2′ size of the sheets to be used is of ¼″ thick, galvanized 1½″×1½″×¼″ angle iron provided for all corners.	24	Armugam Nagarathnam & Co., Bangalore.	75 0 0 each, free, delivery at Malleswaram New High School.
3522				
5022	Pump—Myers self oiling deep well power, No. 958, having 9″ stroke and geared 1 to 7 with slide rails on top to carry an electric motor.	Two	M. Ramiah, Bangalore City ..	480 0 0 each, f.o.r., Hassan
3529				
	Cylinder—Myers all brass, fitted with flush cap and pop spool 3½″×21″×36″ with two leather plungers.	One	Do do ..	164 0 0 do
	Pump—Centrifugal, Mather & Platt, B type solovane, with fast and loose pulley and belt shifting gear having 2½″ suction.	One	Do do ..	315 0 0 do
	Pump—Kirloskar Self oiling 12″ stroke.	One set	Kirloskar Bros., Bangalore ..	700 0 0 do
5023	Steel dye Beakers of 500 c.c. capacity made of stainless steel.	100	Krupp Indian Trading Co., Bombay.	6 8 0 each, f.o.r., Bangalore.
3462 5024	Pink Pasta board, three sheet, royal size.	30 gross	T. M. Abdul Gaffoor & Co., Bangalore.	5¾14 0 per gross, delivered free at the Govt. Stationery Depot.
3531 *Ferries.* 2509	Black cambric cloth, 15 mils thick in rolls of 100 yards.	5 rolls	The English Electric Co., Ltd., Madras.	£ 0 1 11½ per yd., c.i.f., Madras.
Extn.				

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the Order
Foreign. 2861 3145	Crane weigher of 30 tons capacity with shackle and warning hooter for operation on 220 volts, 3 phase, 25 cycles A. C. supply.	One	Messrs.— Geo Salter & Co., Ltd., West Bromwich.	£ 117 8 0, f.o.b., London.

STATEMENT OF ORDERS PLACED DURING THE WEEK ENDING SATURDAY THE 29TH JULY 1939.

				Rs. a. p.
Local. 5025	Sewing machine—Singer, 31K, foot	One	Messrs.— Singer Sewing Machine Co., Bangalore City.	130 0 0 free delivery at the Mental Hospital.
5026	Spares for 1, 1½ Rotary Water meters.	Lot	Parry & Co., Ltd., Madras ..	560 5 6 f.o.r., Champion Reefs.
3426 4855	Sink—Doulton's Belfast pattern in white fireclay.	Three	Richardson & Cruddas, Madras	69 14 0 each, f.o.r., Chikmagalur Owners' Agency.
Extn. Foreign. 2826	Copper wire—hard drawn bare, 4 B. & S. having a cross sectional area of ·03269 sq.in. with an ultimate strength of not less than 1,943 lbs.	120 Miles	Eastern Electric Light & Power Co., Ltd., Bombay.	38 6 0 per cwt., packed in drums, c.i.f., Madras
Extn. 2868 3441	Instrument potential Transformers, single phase, air cooled, dry insulated, open type, 25 cycles, 2,300/115 volts, 200 volt ampere capacity.	Three	Volkart Bros., Madras ..	£ 10 18 0 each, c.i.f., Madras.

T. RANGASWAMI
Secretary
Stores Purchase Committee.